# South Central Oregon Mule Deer Study Preliminary Results Summary – October 2011

### **Background**

- Initiated in 2005 in Fort Rock, Silver Lake, Upper Deschutes, Paulina, Sprague, & Wagontire Wildlife Management Units (WMUs)
- In 2010, Interstate, Klamath Falls, & Metolius WMUs added
- Highway mortality study conducted on 100 mi of Hwy 97 & 50 mi of Hwy 31 (October 2005-December 2010)

## **Objectives**

- Identify biological parameters (survival, causes of mortality, age structure)
- Identify seasonal distribution and migration routes (detailed habitat use & resource selection functions: e.g. vegetation, slope, aspect, precipitation, distance to water, distance to human dimensions, etc.)
- Calculate statistically valid population estimates
- Evaluate impacts of human-associated changes to mule deer habitat (e.g. land & highway development)

#### **Methods**

- 591 deer radio-collared (2005-2011) in 9 WMUs using helicopter, dart gun, & trapping methods (Fig 1)
- 95 bucks & 496 does
- Collar types: GPS store-on-board (SOB), Remote GPS, Standard VHF, Kydex
- GPS collars collect locations every 4 hours for 14-17 months (nearly 1.5 million deer locations recorded since 2005)
- Currently 108 deer "on the air" (94 does, 14 bucks)

### **Findings to Date**

- Migration Timing
  - Average fall migration: Oct 8 Nov 17
  - Average spring migration: May 9 Jun 24
- Mortality Factors (Fig 2)
- Annual Survival Estimates (Table 1)

Table 1. Annual survival estimates for radio-collared mule deer does in south central Oregon (2005-2010).			
Wildlife Management Unit	Annual Survival Estimate	Year	
Fort Rock, Silver Lake,	86%	2005-06	
Sprague, Upper Deschutes,	72%	2006-07	
Paulina & Wagontire	78%	2007-08	
(combined)	73%	2008-09	
	81%	2009-10	




Figure 1. Distribution of 591 radio-collared mule deer based on capture location among south central Oregon wildlife management units (2005-2011).




Figure 2. Causes of mortality for adult radio-collared mule deer in south central Oregon (October 2005-2011) (n=195 mortalities).

- Highway Mortality (Total mortalities 2005-2010 = 1900)
  - Approximately 400 deer vehicle collisions (DVCs) per year on 150 mi of highway studied (see Table 2 for distribution by highway, sex, & age)
  - Annually, 2.6 deer mortalities/mi on Hwy 97; 2 deer mortalities/mi on Hwy 31
  - Sex ratio of adults same for both highways; age distribution differed between highways
  - Fetus:doe ratio was 88:100; pregnant does averaged 1.42 fetuses; fetus sex ratio was male-biased (male:female ratio of 60:40)

Table 2. Distribution by sex and age of mule deer				
killed on 100 mi of Hwy 97 and 50 mi of Hwy 31 in				
south central Oregon (Oct 2005 – Dec 2010).				
Hwy 97	Hwy 31	Total		
(n = 1362)	(n = 538)	(n = 1900)		
644 (47%)	251 (47%)	895 (47%)		
368 (27%)	109 (20%)	477 (25%)		
350 (26%)	178 (33%)	528 (28%)		
Age				
592 (43%)	186 (35%)	778 (41%)		
196 (14%)	60 (11%)	256 (14%)		
272 (20%)	167 (31%)	439 (23%)		
302 (22%)	125 (23%)	427 (22%)		
	mi of Hwy 97 Oregon (Oct 2 Hwy 97 (n = 1362) 644 (47%) 358 (27%) 350 (26%) 592 (43%) 196 (14%) 272 (20%)	mi of Hwy 97 and 50 mi of 1 Oregon (Oct 2005 – Dec 201 Hwy 97 Hwy 31 (n = 1362) (n = 538) 644 (47%) 251 (47%) 368 (27%) 109 (20%) 350 (26%) 178 (33%) 592 (43%) 186 (35%) 196 (14%) 60 (11%) 272 (20%) 167 (31%)		

- Critical crossing areas identified (Figs 3 and 4)
  - ➤ Hwy 31: MP 21-22, MP 33-34
  - ➤ Hwy 97: MP 174-175, MP 190-191, MP 206-207
- Hwy 97 DVCs appear to correlate with migration, while Hwy 31 DVCs are likely related to deer winter range which spans the highway
- Wednesdays had the highest number of deer killed (both highways combined)
- Negative correlation between average annual daily traffic (AADT) and location of DVCs
- Of 12 highway metrics measured, only slope of the "kill-side" was significant between areas with high and low DVCs (14° and 7°, respectively)
- Differences existed between DVC sites on Hwy 97 and those on Hwy 31 (Table 3)




Figure 3. Representation of number of DVCs per 10 mile segments of Hwy 31 (Oct 2005 – Dec 2010). Larger circles represent greater number of DVCs.

Table 3. Physical characteristics of Hwys 97 and 31 at kill-side of DVC sites Oct 2005 – Dec 2010. (* statistically significant difference)			
Characteristic	Highway 97 (n=1362)	Highway 31 (n=538)	
Avg. sight distance to/from DVC site approaching/heading direction *	851.2 m; 877.4 m	473.4 m ; 564.6 m	
Avg. shoulder width *	1.57 m	.57 m	
Avg. slope degree *	-17 °	11.7 0	
Avg. slope length	6.46 m	6.36 m	
Avg. distance to veg.	12.1 m	14.4 m	
Major browse spp.	92.7% bitterbrush	57.6% bitterbrush 19.7% big sagebrush	
Major cover spp.	73% lodgepole pine 19.4% pond. pine	43.9% lodgepole pine 11.9% pond. pine 9.7% western juniper	
Avg. veg. density perpendicular to site *	58.8 %	49.4 %	
Avg. veg. density 15m from site in approaching direction*	69.0 %	59.5 %	
Avg. veg. density 15m from site in heading direction	66.6 %	62.3 %	

#### **Next Steps**

- Continue to monitor collared deer
- Determine summer and winter allocation of collared mule deer to WMUs
- Preliminary planning for detailed habitat and resource selection functions has commenced




Figure 4. Density isopleths (25%, 50%, and 95%) of DVCs on Hwy 97 (Oct 2005 – Dec 2010). The darker the shading the denser the collisions.